

Tsunami[™] MP 8150 CPE Series A High Performance Subscriber Unit for WISPs



Tsunami™ MP 8150 CPE Series

End-to-End Broadband Wireless Product Portfolio

Proxim Wireless offers the industry's most complete suite of outdoor broadband wireless access products.

This portfolio includes:

- Tsunami™ MP-8100 Proxim's Point-to-Multipoint Product line delivering wireless performance in excess of 4G products on the market today.
- Tsunami[™] MP.11 Proxim's best selling Point-to-Multipoint product line for global markets
- Tsunami[™] QB-8100 Proxim's Point-to-Point Product line delivering wireless performance in excess of 4G products on the market today
- ORiNOCO® Access Point World-class performance enterprise 11n Access Points

Proxim Wireless is a global pioneer of end-to-end broadband wireless systems that deliver quadruple play services. From Wi-Fi to wireless Gigabit Ethernet – our WLAN, mesh, WiMAX and point-to-point products are available through our extensive global channel networks.

Presenting Proxim's next generation Point-to-Multipoint subscriber unit

Proxim Wireless is a leader and an early innovator in wireless technology providing high-speed, long-range broadband wireless solutions. Leveraging the advantages of OFDM, MIMO radio innovations along with Proxim's proprietary Wireless Outdoor Routing Protocol (WORP), the Tsunami[™] 8150 CPE is a feature rich customer premises equipment specifically designed for the carrier, service provider and WISP market.

The low cost outdoor form factor of the Tsunami[™] 8150 CPE is an ideal solution for large-scale wireless deployments suitable for all last-mile broadband wireless access deployments.

This CPE is also feature rich with a carrier-grade prioritization platform supporting multiple service classes that can prioritize voice, video and data applications over the widest range of operating frequencies.

Performance and Features

- Available with integrated antenna
- 100Mbps of throughput performance with maximum data rates up to 300Mbps
- Carrier grade advanced security with AES-128 bit encryption and built-in feature-rich network protocols for bridging, routing and gateway functionality
- Provides flexible channel planning with support for 5.3 to 6.1 GHz
- Comes with a 2x2 MIMO high power radio capable of 24dBm transmit power
- Allows flexible bandwidth allocation for service tiers

Reducing Costs for Wireless ISPs

- License-free frequency bands worldwide provide reliable wireless broadband without the high cost of licensed frequencies
- Low-cost bundle including both radio and mounting kit provides the industry's most aggressive price point, enabling any deployment to enjoy a quick return on investment

Easy to Install

- Comes as a complete compact outdoor form factor offering unprecedented ease of installation and compatible with Tsunami™ MP-8100 products
- Deployment tools include antenna alignment and remote management configuration
- Non Line-of-Sight capability provided by Advanced Orthogonal Frequency Division Multiplexing (OFDM) along with 2x2 MIMO eases deployment in challenging areas

All-in-One CPE with Security & Gateway Features

- Built-in feature rich network protocols for Bridging, Routing and Gateway functionality
- Advanced encryption protects over-the-air transmission via AES-128
- Radio mutual authentication eliminates unauthorized use of the system by rogue subscriber units and man-in-the middle attacks
- MAC, Ether type, IP address packet filtering provides granular network security
- Uses Proxim's Wireless Outdoor Routing Protocol (WORP) to prevent snooping
- Features highly-secure remote management via SSL, SSH and SNMPv3

Tsunami[™] MP 8150 CPE Series

Technical Specifications

Product Models	
MP-8150-CPE-100a-US	Tsunami™ MP 8150 Customer Premises Equipment, 100Mbps, MIMO 2x2, 16dBi Integrated antenna – US SKU
MP-8150-CPE-100a-WD	Tsunami™ MP 8150 Customer Premises Equipment, 100Mbps, MIMO 2x2, 16dBi Integrated antenna – World SKU
Radio & TX Specs	
MIMO	2x2
Modulation	OFDM with BPSK, QPSK, 16QAM, 64QAM
Operating Frequency	5.3 – 6.1 GHz (Subject to Country Regulations and product model)
Channel Size	20MHz & 40MHz
Data Rate	Up to 300Mbps
TX Power	Up to 24dBm
TX Power Control	0.5 dB steps
Latency	5ms (typical)
Wireless Encryption	128-bit AES
Antenna	Integrated 16dBi dual polarized (Horizontal + Vertical) panel antenna
Interfaces	
Wired Ethernet	One Auto MDI-X RJ45 100Mbps Ethernet port
Wireless Protocol	WORP (Wireless Outdoor Router Protocol)
Management	
Local	RS-232 serial port with RJ11 front face
Remote	Telnet and SSH, Web GUI and SSL, TFTP, SNMPv3
SNMP	SNMP v1-v2c-v3, RFC-1213, RFC-1215, RFC-2790, RFC-2571, RFC-3412, RFC-3414, Private MIB
	NETWORK
Network	
Large Frame	Up to 2048 bytes
Throughput	100Mbps (Max)
Gateway Features	DHCP Client/Server/ Relay/ NAT with Std ALGs, Bridging, Routing & Syslog
QoS	Asymmetric Bandwidth Control, Packet Classification Capabilities, Scheduling
/LAN	802.1Q: Management VLAN, Transparent, Access and Trunk mode
Environmental Specs	
Temperature	
Operating	-35º to 60º C (-31º to 140º F)
Storage	-40º to 70º C (-40º to 158º F)
Humidity	
Operating	Max 95% relative humidity (non-condensing)
Storage	Max 95% relative humidity (non-condensing)
Water & Dust Proof	IP65
Regulatory	
Certifications	FCC Part 15 Rules for U-NII devices & IC - RSS-210
	ETSI - EN 300 328, EN 301 489 1/17, EN 301 893 v1.5.1, EN 302 502, EN50385
Physical Specs	
Dimensions (LxWxH)	Packaged: 385 x 315 x 110 mm
	Unpackaged: 197.5 x 192 x 100 mm
Weight	Packaged: 2.25 kg (4.96 lbs)
	Unpackaged: 0.69 kg (1.51 lbs)
Electrical	
Device Power Rating	7 watts (typical), 13.8 watts (max)
Input Power	via PoE Power Injector, 48V-DC 0.40A (included in the package)
MTBF	>75,000 hours
Warranty	1 year parts and labor
Package Contents	One CPE unit with 16dBi integrated antenna, PoE Power Injector with power cord, Pole Mounting kit, Grounding
	kit, Connector Weather Proofing kit, printed Quick Installation guide
Accessories	Universal Mounting Bracket for wall mounting (Part # 77537)
Related Products	Tsunami™ MP-8100-BSU, Tsunami™ MP-8100-SUR/SUA, ServPak for enhanced support, ProximVision ES NMS

APPLICATIONS

Wireless Internet Service Providers (WISP)
Excellent choice for large-scale wireless
deployments for high performance and quick
Rol

Business and Residential Last-Mile Access
Competitive broadband service alternative to
DSL or cable modems for residences and T1
or Ethernet for businesses



©2010 Proxim Wireless Corporation. All rights reserved. Proxim is a registered trademark and the Proxim logo and Tsunami[™] are trademarks of Proxim Wireless Corporation. All other trademarks mentioned herein are property of their respective owners. Specifications are subject to change without notice.